

Regular Expressions

<http://xkcd.com/208/>

```
/Everybody stand back/  
I know regular expressions
```



Overview

- Regular expressions are essentially a tiny, highly specialized programming language (embedded inside Python and other languages)
- Can use this little language to specify the rules for any set of possible strings you want to match
 - Sentences, e-mail addresses, ads, dialogs, etc
- ``Does this string match the pattern?``, or ``Is there a match for the pattern anywhere in this string?``
- Regular expressions can also be used as a language generator; regular expression languages are the first in the Chomsky hierarchy

Introduction

- Regular Expression a.k.a. regex, regexp or RE
 - A language for specifying text search strings
 - An example (matches names like “Jane Q. Public”):
 - Perl or Python:
`/\b[A-Z][a-z]+ +[A-Z]\.[A-Z][a-z]+\b/`
 - Applications/Tools using Regular Expressions:
 - All modern programming languages (most notably Perl), but also Python, Java, php, etc.
 - **In this talk, we use the (Perl) convention that regular expressions are surrounded by / - Python uses “**

Why is it useful for matching?

- Helpful applications of ‘regex’
 - Recognizing all email addresses
 -@.....edu
 -@.....gov
 -@.....com
 - Recognizing all URLs
 - A fairly predictable set of characters & symbols selected from a finite set (e.g. a-z, www, http, ~, /)
 - What other ones?

Regular Expressions as a formal language

- In language theory, Regular Expressions specify a language that can be recognized by Finite State Automata
a.k.a. Finite Automaton, Finite State Machine, FSA or FSM
 - An abstract machine which can be used to implement regular expressions (etc.).
 - Has a finite number of states, and a finite amount of memory (i.e., the current state).
 - Can be represented by directed graphs or transition tables
- The regular languages are the first in the Chomsky hierarchy (context-free languages and context-sensitive languages are the next)
- Regular languages are exactly the set of languages recognized by finite automata

Introduction to RE

- Talk by Dan Jurafsky

Regular Expressions for Matching

- For matching, regular expression syntax extends notation to be more useful and succinct.
 - Expressions:
 1. `/[abc]/` = `/a|b|c/` **Character class**; disjunction matches one of a, b or c
 2. `/[b-e]/` = `/b|c|d|e/` **Range in a character class**
 3. `/[^b-e]/` **Complement of character class**
 4. `/./` **Wildcard matches any character**
 5. `/a*/` `/[af]*/` `/(abc)*/` **Kleene star**: zero or more
 6. `/a?/` `/(ab|ca)?/` **Zero or one; optional**
 7. `/a+/` `/([a-zA-Z]1|ca)+/` **Kleene plus**: one or more
 8. `/a{8}/` `/b{1,2}/` `/c{3,}/` **Counters**: exact number of repeats
 9. `/\n|\r/` **Special escapes** (newline, return)

Regular Expressions

- Escapes

- A backslash “\” placed before a character is said to “escape” (or “quote”) the character. There are six classes of escapes:

1. **Numeric character representation:** the octal or hexadecimal position in a character set: “\012” = “\xA”

2. **Meta-characters:** The characters which are syntactically meaningful to regular expressions, and therefore must be escaped in order to represent themselves in the alphabet of the regular expression: “[] () { } | ^ \$. ? + * \” (note the inclusion of the backslash).

3. **“Special” escapes** (from the “C” language):

newline:	“\n” = “\xA”	carriage return:	“\r” = “\xD”
tab:	“\t” = “\x9”	formfeed:	“\f” = “\xC”

Regular Expressions

- **Escapes** (continued)
 - **Classes of escapes** (continued):
 - 4. Aliases: shortcuts for commonly used character classes.**
(Note that the capitalized version of these aliases refer to the **complement** of the alias's character class):
 - **whitespace:** `"\s"` = `"[\t\r\n\f\v]"`
 - **digit:** `"\d"` = `"[0-9]"`
 - **word:** `"\w"` = `"[a-zA-Z0-9_]"`
 - **non-whitespace:** `"\S"` = `"[^ \t\r\n\f]"`
 - **non-digit:** `"\D"` = `"[^0-9]"`
 - **non-word:** `"\W"` = `"[^a-zA-Z0-9_]"`
 - 5. Memory/registers/back-references:** `"\1"`, `"\2"`, etc.
 - 6. Self-escapes:** any character other than those which have special meaning can be escaped, but the escaping has no effect: the character still represents the regular language of the character itself.

Regular Expressions

- Greediness
 - Regular expression counters/quantifiers which allow for a regular language to match a variable number of times (i.e., the Kleene star, the Kleene plus, “?”, “{*min*, *max*}”, and “{*min*, }”) are inherently *greedy*:
 - That is, when they are applied, **they will match as many times as possible**, up to *max* times in the case of “{*min*, *max*}”, at most once in the “?” case, and infinitely many times in the other cases.
 - Each of these quantifiers may be applied non-greedily, by placing a question mark after it. Non-greedy quantifiers will at first match the **minimum** number of times.
 - For example, against the string “From each according to his abilities”:
 - `/\b\w+.*\b\w+/` matches the entire string, and
 - `/\b\w+.*?\b\w+/` matches just “From each”

Using Regular Expressions

- In Perl, a regular expression can just be used directly for matching, the following is true if the string matches:
`string =~ m/ <regular expr> /`
- But in many other languages, including Python (and Java), the regular expression is first defined with the compile function
`pattern = re.compile('<regular expr>')`
- Then the pattern can be used to match strings
`m = pattern.search(string)`
where m will be true if the pattern matches anywhere in the string

More Regular Expression Functions

- Python includes other useful functions
 - `pattern.match` – true if matches the beginning of the string
 - `pattern.search` – scans through the string and is true if the match occurs in any position
 - These functions return a “MatchObject” or None if no match found
 - `pattern.findall` – finds all occurrences that match and returns them in a list
- MatchObjects also have useful functions
 - `match.group()` – returns the string(s) matched by the RE
 - `match.start()` – returns the starting position of the match
 - `match.end()` – returns the ending position of the match
 - `match.span()` – returns a tuple containing the start, end
 - And note that using the MatchObject as a condition in, for example, an If statement will be true, while if the match failed, None will be false.

Substitution with Regular Expressions

- Once a regular expression has matched in a string, the matching sequence may be replaced with another sequence of zero or more characters:
 - Convert “red” to “blue”
 - Perl: `$string =~ s/red/blue/g;`
 - **Python:** `p = re.compile("red")` `string = p.sub("blue", string)`
 - Convert leading and/or trailing whitespace to an ‘=’ sign:
 - **Python:** `p = re.compile("^\s+|\s+$")`
`string = p.sub("=", string)`
 - Remove all numbers from string: “These 16 cows produced 1,156 gallons of milk in the last 14 days.”
 - **Python:** `p = re.compile("\d{1,3}(,\d{3})*")`
`string = p.sub("", string)`
 - The result: “These cows produced gallons of milk in the last days.”

Extensions to Regular Expressions

- Memory/Registers/Back-references
 - Many regular expression languages include a memory/register/back-reference feature, in which sub-matches may be referred to later in the regular expression, and/or when performing replacement, in the replacement string:
 - Perl: `/(\w+)\s+\1\b/` matches a repeated word
 - Python:

```
p = re.compile("(\w+)\s+\1\b")
p.search("Paris in the the spring").group()
returns 'the the'
```
 - Note: finite automata cannot be used to implement the memory feature.

Regular Expression Examples

Character classes and Kleene symbols

[A-Z] = one capital letter

[0-9] = one numerical digit

[st@!9] = s, t, @, ! or 9 (equivalent to using | on single characters)

[A-Z] matches G or W or E (a single capital letter)

does not match GW or FA or h or fun

[A-Z]+ = **one or more** consecutive capital letters

matches GW or FA or CRASH

[A-Z]? = zero or one capital letter

[A-Z]* = **zero, one or more** consecutive capital letters

matches on EAT or I

so, [A-Z]ate

matches Gate, Late, Pate, Fate, but not GATE or gate

and [A-Z]+ate

matches: Gate, GRate, HEate, but not Grate or grate or STATE

and [A-Z]*ate

matches: Gate, GRate, and ate, but not STATE, grate or Plate

Regular Expression Examples (cont' d)

[A-Za-z] = any single letter

so [A-Za-z]+

matches on any word composed of only letters,

but will not match on “words”: bi-weekly , yes@SU or IBM325

they will match on bi, weekly, yes, SU and IBM

a shortcut for [A-Za-z] is \w, which in Perl also includes _

so (\w)+ will match on Information, ZANY, rattskellar and jeuvbaew

\s will match whitespace

so (\w)+(\s)(\w+) will match real estate or Gen Xers

Regular Expression Examples (cont' d)

Some longer examples:

`([A-Z][a-z]+)\s([a-z0-9]+)`

matches: Intel c09yt745 but not IBM series5000

`[A-Z]\w+\s\w+\s\w+(!)`

matches: The dog died!

It also matches that portion of “ he said, “ The dog died! “

`[A-Z]\w+\s\w+\s\w+(!)$`

matches: The dog died!

But does not match “he said, “ The dog died! “ because the \$ indicates end of Line, and there is a quotation mark before the end of the line

`(\w+ats?\s)+`

parentheses define a pattern as a unit, so the above expression will match:

Fat cats eat Bats that Splat

Regular Expression Examples (cont' d)

To match on part of speech tagged data:

(\w+[-]?\w+\|[A-Z]+) will match on:

bi-weekly|RB

camera|NN

announced|VBD

(\w+\|V[A-Z]+) will match on:

ruined|VBD

singing|VBG

Plant|VB

says|VBZ

(\w+\|VB[DN]) will match on:

coddled|VBN

Rained|VBD

But not changing|VBG

Regular Expression Examples (cont' d)

Phrase matching:

`a\|DT ([a-z]+\|JJ[SR]?) (\w+\|N[NPS]+)`

matches: a|DT loud|JJ noise|NN
a|DT better|JJR Cheerios|NNPS

`(\w+\|DT) (\w+\|VB[DNG])* (\w+\|N[NPS]+)+`

matches: the|DT singing|VBG elephant|NN seals|NNS
an|DT apple|NN
an|DT IBM|NP computer|NN
the|DT outdated|VBD aging|VBG Commodore|NNNP
computer|NN hardware|NN

Helpful Regular Expression Websites

1. Tutorials:

1.a. The Python Regular Expression HOWTO:

<http://docs.python.org/howto/regex.html>

A good introduction to the topic, and assumes that you will be using Python.

2. Free interactive testing/learning/exploration tools:

2.a. Regular Expression tester:

<http://regexpal.com/>

2.b. Regular Expression tester:

<http://www.roblocher.com/technotes/regexp.aspx>

3. Regular expression summary pages

3.a. Dave Child's Regular Expression Cheat Sheet from addedbytes.com

<http://www.cheatography.com/davechild/cheat-sheets/regular-expressions/>